

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1 – 37 (canceled).

38. (new) A device for storing and dispensing a flowable substance, comprising:
a container comprising
a base member and a cover member being sealingly connected with each other along the circumference of the container,
at least one compartment for receiving said substance, and
an open ended pocket area into which said substance is transferable from said at least one compartment, and
a cannula having an internal passageway being in a fluid communication with said pocket for dispensing said substance, wherein said cannula is a separate component having a first end and a second end, said first end being adapted for insertion into said open end of said pocket area.
39. (new) The device of claim 38, wherein said first end comprises an extension part having a portion with an increased cross-section.
40. (new) The device of claim 39, said extension part having a cross-sectional shape comprising sharp edges in the plane between the base member and the cover member, and preferably comprises a rhombic or fin-like cross-sectional shape.
41. (new) The device of claim 38, wherein said extension part comprises at least one portion having an increased diameter.
42. (new) The device of claim 38, wherein said extension part comprises a portion being tapered along the length thereof, with the thickness of the tapered portion decreasing towards said first end.

43. (new) The device of claim 42, wherein said tapered portion comprises an U-shaped sealing area on each of the opposing surfaces of said tapered portion, the legs of said U-shaped sealing areas extending towards said first end and being connected at the edge of said first end.

44. (new) The device of any of claims 38 to 43, wherein said first end is attached to said open ended pocket area by a heat seal, a press fit, and/or an adhesive.

45. (new) The device of claim 38, wherein said first end comprises an extension part adapted for being attached to the outer surface of said container.

46. (new) The device of claim 45, wherein said extension part is attachable to said cover member.

47. (new) The device of claim 45, wherein said extension part comprises a first portion and a second portion being inclined relative to said first portion.

48. (new) The device of claim 45, 46, or 47, wherein said cannula is inclined relative to said extension part.

49. (new) The device of any of claims 45 to 47, wherein said internal passageway of said cannula extends through said extension part.

50. (new) The device of claim 49, wherein said extension part comprises a recess in the surface that is attachable to said container, said recess being adjacent to and surrounding said passageway opening.

51. (new) The device of claim 50, wherein said recess is ring shaped.

52. (new) The device of claim 50, wherein said extension part comprises a raised portion adjacent to and surrounding said passageway opening, said recess surrounding said raised area.

53. (new) The device of claim 38, said separate cannula being attached to said cover member, whereby said fluid communication with said pocket is established through said cover member.

54. (new) The device of claim 53, wherein said cannula comprises a dosing system having a variable volume, preferably a bellows.

55. (new) The device of claim 54, wherein said cannula further comprises an applicator at said second end for applying said substance to a treatment area.

56. (new) The device of claim 55, wherein said applicator comprises bristles being integrally formed with said second end of said cannula, or comprises a foamed material, a non-woven material, or a plurality of fibres incorporated into said second end of said cannula.

57. (new) The device of claim 56, wherein said internal passageway of said cannula further comprises flow resistors, preferably formed by structured surfaces, constricted portions, and/or orifices.

58. (new) The device of any of claims 39 to 43, said extension part further comprising stiffening elements extending away from said extension part.

59. (new) The device of claim 38, said base member being formed as a sheet.

60. (new) The device of claim 59, said base member sheet being a deep-drawn sheet formed of a polypropylene layer, an aluminium layer, and a polyethylene layer.

61. (new) The device of claim 38, said cover member being formed as a sheet, preferably being formed of a polyethylene terephthalate layer, an aluminium layer, and a polyethylene layer.

62. (new) The device of claim 38, said cover member being formed as a plastic part, preferably as an injection moulded part.

63. (new) The device of claim 38, further comprising a portion separating said compartment from said pocket, said separating portion comprising a passage area adapted to be selectively opened by pressure effective on said passage area for placing said compartment in communication with said pocket.

64. (new) The device of claim 38, comprising two or more compartments for holding different substances, and a passage area adapted to be selectively opened for placing said compartments in communication with each other prior to dispensing the mixed final substance.

65. (new) The device of claim 38, said cannula further comprising a mixer.

66. (new) The device of claim 65, said mixer comprising mixing helixes or elements providing flow resistance.

67. (new) The device of claim 38, further comprising a handle.

68. (new) The device of claim 38, wherein the container is pre-filled.

69. (new) Set comprising a device according to claim 38 and a separate applicator.

70. (new) Set comprising a plurality of juxtaposed devices according to claim 38.

71. (new) Set according to claim 70, further comprising a separate applicator.

72. (new) Set according to claim 70 or 71, wherein at least one device is filled with a different substance than the other devices.